	Application No.	Applicant(s)
Notice of Allowability	09/839,760	XUE ET AL.
	Examiner	Art Unit
	Dionne A. Walls	1731
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHT of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this or other appropriate communication. This application is subjected MPEP 1308.	s application. If not included ation will be mailed in due course. THIS ect to withdrawal from issue at the initiative
2. The allowed claim(s) is/are 10-15.		
3. The drawings filed on 20 April 2001 are accepted by the E	xaminer.	
 4. ☐ Acknowledgment is made of a claim for foreign priority una) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. 	e been received. e been received in Application N cuments have been received in of this communication to file a refENT of this application.	o this national stage application from the eply complying with the requirements NER'S AMENDMENT or NOTICE OF
INFORMAL PATENT APPLICATION (PTO-152) which give 6. CORRECTED DRAWINGS (as "replacement sheets") mus (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner' Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the state of the state o	st be submitted. son's Patent Drawing Review (Formula is a Amendment / Comment or in the disease.	PTO-948) attached he Office action of rawings in the front (not the back) of
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☑ Interview Sumr Paper No./Mai 08), 7. ☐ Examiner's Am	l Date
C. 2.2.03,041 (1.4.0.1.4.	<u></u> -	Down H. Mal

Dionne A. Walls Primary Examiner Art Unit: 1731 Application/Control Number: 09/839,760

Art Unit: 1731

DETAILED ACTION

Oath/Declaration

1. Applicant is now required to submit a substitute declaration or oath to correct the deficiencies set forth:

The filing date of the Provisional Application 60/198,627 is incorrect.

The correct filing date is 4/20/2000, instead of 4/20/2001.

The substitute oath or declaration must be filed within the THREE MONTH shortened statutory period set for reply in the "Notice of Allowability" (PTO-37). Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136. Failure to timely file the substitute declaration (or oath) will result in **ABANDONMENT** of the application. The transmittal letter accompanying the declaration (or oath) should indicate the date of the "Notice of Allowance" (PTOL-85) and the application number in the upper right hand corner.

Terminal Disclaimer

1. The terminal disclaimer filed on March 15, 2004 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of US. Pat. No. 6,584,979 has been reviewed and is accepted. The terminal disclaimer has been recorded.

Allowable Subject Matter

2. Claims 10-15 are allowed.

The following is an examiner's statement of reasons for allowance:

Art Unit: 1731

The prior art of record suggests a cigarette filter with fibers containing semiopened/opened microcavities, said cavities being loaded with flavorant delivery
materials. However, the prior art does not teach or reasonably suggest such a cigarette
filter in combination with a tobacco rod, wherein said cigarette filter fibers are loaded in
a space surrounded by either an upstream or downstream plug.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dionne A. Walls whose telephone number is (571) 272-1195. The examiner can normally be reached on Mon-Fri, 7AM - 4:30PM (Every other Friday off).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Steven P. Griffin can be reached on (571) 272-1189. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Fany A HOB

Page 4

Application/Control Number: 09/839,760

Art Unit: 1731

Primary Examiner Art Unit 1731

April 2, 2004